

Finishing and Care Products for Tile, Stone and Floor Coverings



PROMA

www.proma.ca



Proper cleaning and maintenance is key to keeping your installation beautiful for years to come.

PROMA offers a wide variety of quality cleaners, strippers and removers that dramatically ease the cleaning process, while providing outstanding results and long-lasting performance.

No matter what the installation condition, tile or stone type, or productivity demands, PROMA has the right solution to fit your needs.

PRO CLEAN™

PRO CLEAN is a multi-surface neutral cleaner designed for routine cleaning of ceramic, natural stones, quartz, hardwood, laminate and vinyl surfaces.

- ♦ No phosphates or ammonia
- ♦ Fast evaporation
- ♦ Lemon scent
- ♦ Leaves no streaks or soap residues
- ♦ No rinsing required
- ♦ Won't damage varnishes, waxes and acrylic floor finishes
- ♦ Meets Cleaning Performance test ASTM D4488-95-A5
- ♦ Meets Yellowness of Polymer-Based Solar Screen/Window Film Performance test ASTM E313-05
- ♦ Meets Window cleaning Performance test CSPA DCC-09
- ♦ Biodegradable – In conformity with OCDE 301 E rule
- ♦ For institutional, commercial and residential applications

Packaging

Ready-to-Use Formula: 700 mL (23.6 oz) bottle [BR110-07]

Cleaning Kit: 700 mL (23.6 oz) bottle with telescopic mop and microfiber cloth [BR110-10]

Concentrate: 946 mL (32 oz) bottle [BR110-01];
4 L (1.05 US) gal bottle [BR110-04]

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition



PRO CARPET CLEANER™

PRO CARPET CLEANER is a cleaner and stain remover designed for carpets, rugs and upholstery and eliminates domestic odors.

- ♦ Cleans domestic and animal stains
- ♦ Eliminates odors – domestic and pets
- ♦ Low suds formula
- ♦ Faint odor
- ♦ Use for manual or mechanical cleaning
- ♦ Low VOC
- ♦ Biodegradable – In conformity with OCDE 301 E rule
- ♦ For interior; For residential, commercial and institutional use

Packaging / Approximate Coverage

Ready-to-Use Formula: 700 mL (23.6 oz) bottle [PT855-07].....4.65 m² (50 ft²)





PRO HARDWOOD CLEANER™

PRO HARDWOOD CLEANER is a neutral cleaner designed for routine cleaning of hardwood and engineered wood floors as well as for laminate floors surfaces.

- ◆ No phosphates or ammonia
- ◆ Fast evaporation
- ◆ Lemon scent
- ◆ No rinsing required
- ◆ Won't damage varnishes, waxes and acrylic floor finishes
- ◆ Leaves no streaks or soap residues
- ◆ Meets Cleaning Performance test ASTM D4488-95-A5
- ◆ Meets Yellowness of Polymer-Based Solar Screen/Window Film Performance test ASTM E313-05
- ◆ Meets Window cleaning Performance test CSPA DCC-09
- ◆ Biodegradable – In conformity with OCDE 301 E rule
- ◆ Meets Environment Ecologic standards for Degreaser Cleaners
- ◆ For institutional, commercial and residential applications



Packaging

Ready-to-Use Formula: 700 mL (23.6 oz) bottle [N200-07]

Cleaning Kit: 700 mL (23.6 oz) bottle with telescopic mop and microfiber cloth [N200-10]

Concentrate: 946 mL (32 oz) bottle [N200-01];

4 L (1.05 US) gal bottle [N200-04]

Approximate Coverage

Varies with the concentration of cleaner used and the surface condition

PRO LVT CLEANER™

PRO LVT CLEANER is a neutral floor cleaner designed for routine cleaning of LVT (Luxury Vinyl Tiles), LVP (Luxury Vinyl Planks), VCT (Vinyl Composition Tiles) and other vinyl surfaces.

- ◆ No phosphates or ammonia
- ◆ Fast evaporation
- ◆ Lemon scent
- ◆ No rinsing required
- ◆ Leaves no streaks or soap residues
- ◆ Won't damage varnishes, waxes and acrylic floor finishes
- ◆ Meets Cleaning Performance test ASTM D4488-95-A5
- ◆ Meets Yellowness of Polymer-Based Solar Screen/Window Film Performance test ASTM E313-05
- ◆ Meets Window cleaning Performance test CSPA DCC-09
- ◆ Biodegradable – In conformity with OCDE 301 E rule
- ◆ Meets Environment Ecologic standards for Degreaser Cleaners
- ◆ For interior and exterior institutional, commercial and residential applications



Packaging

Ready-to-Use Formula: 700 mL (23.6 oz) bottle

Cleaning Kit: 700 mL (23.6 oz) bottle with telescopic mop and microfiber cloth

Concentrate: 946 mL (32 oz) bottle; 4 L (1.05 US) gal bottle

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition

PRO NET II™

PRO NET II is a mild acid cleaner designed for grout and ceramic tile maintenance to remove most domestic stains and cement grout haze.

- ◆ Use on ceramic, porcelain, granite, slate and quartz (except marbles and calcareous stones)
- ◆ Use on cementitious, pre-mixed and epoxy grout
- ◆ Use on countertops, floors, walls, showers, shower doors and toilets
- ◆ Organic acid based cleaner
- ◆ Floral scent
- ◆ Non corrosive for skin
- ◆ Safe for chrome and stainless-steel surfaces
- ◆ No phosphates or ammonia
- ◆ Removes calcium residues on car and entrance carpets
- ◆ Removes cement grout haze on tiles after grouting
- ◆ Removes light rust and calcium rings in toilets, bathtubs, shower doors and knobs
- ◆ No VOC
- ◆ For interior and exterior institutional, commercial and residential applications
- ◆ Biodegradable. In conformity with OCDE 301 E rule
- ◆ Meets EcoLogo specifications Bathroom cleaner CCD:146J
- ◆ Meets Cleaning Performance test ASTM D5343-06-Meets
- ◆ Meets Calcium Carbonate (Hard Water Scale) Solubility Test



Packaging

Ready-to-Use Formula: 700 mL (23.6 oz) bottle [N305-07]

Concentrate: 946 mL (32 oz) bottle [N305-01];

4 L (1.05 US) gal bottle [N305-04]

Approximate Coverage

Varies with the concentration of cleaner used and the surface condition

PRO SHOWER™

PRO SHOWER is designed for routine cleaning of showers. It incorporates a surface treatment to avoid water stains and accumulation of soap and calcareous residues. It eliminates the need to use a squeegee and is ideal for glass, ceramic, granite, quartz and acrylic surfaces. Not to be used on marble and calcareous stones.

- ◆ Excellent for routine shower cleaning and hydrophilic treatment
- ◆ Acidic formula – pH: 3.5 – 4
- ◆ No phosphates or ammonia
- ◆ Dries quickly
- ◆ Leaves no streaks
- ◆ No VOC
- ◆ Meets Cleaning Performance test ASTM D4488-95-A5
- ◆ Biodegradable. In conformity with OCDE 301 E rule
- ◆ For interior residential, commercial and institutional use



Packaging

Ready-to-Use Formula: 700 mL (23.6 oz) bottle [N373-07]

Maintenance kit for Showers – Ceramic, Granite, Quartz & Glass:

700 mL (23.6 oz) bottle + 500 mL (16.0 oz) bottle PRO NET™ [N373/305-10]

Approximate Coverage: Varies with the surface condition



PRO STAIN CLEANER™

PRO STAIN CLEANER is an oil and grease stain remover (poultice-like) for stone, concrete and paving stone.

- ♦ Alkaline formula
- ♦ Won't etch marble and calcareous stones
- ♦ Safe for metals and glass
- ♦ Non-corrosive
- ♦ Slow evaporation for extended applications
- ♦ Faint odor
- ♦ No VOC
- ♦ Biodegradable. In conformity with OCDE 301 E rule
- ♦ Meets Cleaning Performance test ASTM D4488-95-A5
- ♦ For interior and exterior residential, commercial and institutional use



Packaging / Approximate Coverage

Ready-to-Use Formula:
946 mL (32 oz) bottle [PN360-01]..... 0.1 m² (1 ft²)
Ready-to-Use Formula:
4 L (1.05 US gal) bottle [PN360-04]..... 2.5 m² (25 ft²)

PRO STONE & QUARTZ CLEANER™

PRO STONE & QUARTZ CLEANER is designed for the regular maintenance of granite, quartz, marble and other natural stone counter tops as well as ceramic and melamine surfaces.

- ♦ No phosphates or ammonia
- ♦ Fast evaporation
- ♦ Lemon scent
- ♦ Leaves no streaks or soap residues
- ♦ No rinsing required
- ♦ Meets Cleaning Performance test ASTM D4488-95-A5
- ♦ Meets Yellowness of Polymer-Based Solar Screen/ Window Film Performance test ASTM E313-05
- ♦ Meets Window Cleaning Performance test CSPA DCC-09
- ♦ Biodegradable – In conformity with OCDE 301 E rule
- ♦ For institutional, commercial and residential applications



Packaging

Ready-to-Use Formula: 700 mL (23.6 oz) bottle [N323-07]
Concentrate: 946 mL (32 oz) bottle [N323-01]

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition

PRO DECAP™

PRO DECAP is a degreasing cleaner for tiles, natural stones, quartz and grout joints, that deep-cleans most domestic stains; removes waxes, water-based acrylic and urethane sealers and finishes.



- ♦ Use on ceramic and porcelain tiles, natural stone and quartz
- ♦ Cleans cementitious and epoxy grout
- ♦ Use on paving stones and concrete surfaces
- ♦ Use on vinyl, Luxurious Vinyl Tiles (LVT) and Vinyl Composition Tiles (VCT)
- ♦ Use on floors, walls, counters and backsplash
- ♦ Alkaline formula, non-corrosive
- ♦ No phosphates or ammonia
- ♦ Low odor
- ♦ Removes heavy dirt and grease
- ♦ Removes ink and marker stains
- ♦ No VOC
- ♦ For interior and exterior institutional, commercial and residential applications
- ♦ Biodegradable. In conformity with OCDE 301 E rule
- ♦ Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- ♦ Meets Long Term Removability Properties of Emulsion Floor Polishes test ASTM D1792-06
- ♦ Meets Cleaning Performance test ASTM D4488-95-A5

Packaging

Concentrate: 946 mL (32 oz) bottle [PD1010-01];
4 L (1.05 US gal) bottle [PD1010-04]

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition





PRO DECAP U™

PRO DECAP-U is a high-performance remover for urethane construction glue residues, urethane insulating foam and pre-mixed (acrylic and urethane) grout residues.



- ◆ Removes Urethane glue residues (construction glue, PL glue)
- ◆ Removes urethane insulating foam
- ◆ Removes acrylic sealants residues
- ◆ Removes ink and marker stains
- ◆ Removes pre-mixed grout residues (acrylic or urethane based)
- ◆ Non-corrosive
- ◆ No phosphates or ammonia
- ◆ Low odor
- ◆ No VOC
- ◆ Meets Long Term Removability Properties of Emulsion Floor Polishes test
- ◆ ASTM D1792-06
- ◆ Meets Cleaning Performance test ASTM D4488-95-A5
- ◆ Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- ◆ Biodegradable. In conformity with OCDE 301 E rule
- ◆ For residential, commercial and institutional use
- ◆ Meets Cleaning Performance test ASTM D4488-95-A5

Packaging

Concentrate: 250 mL (8.5 oz) bottle [PD1800-25];
946 mL (32 oz) bottle [PD1800-01];
4 L (1.05 US gal) bottle [PD1800-04]

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition



PRO EFFLONET™

PRO EFFLONET is a ceramic joint cleaner specially formulated to eliminate efflorescence (whitish powder encrusted on the surface of the grout) caused by Portland cement. Removes light or heavy cement grout residues. PRO EFFLONET requires little rubbing and will not damage ceramic surface or original grout color.



- ◆ Use with ceramic, porcelain and granite
- ◆ Use on cementitious grout
- ◆ Use with paving stones and concrete surfaces
- ◆ Use on counters, floors, walls, showers, shower doors and toilets
- ◆ Use to remove rust from metal ramps and surfaces
- ◆ Removes calcium residues on car and entrance carpets
- ◆ Removes light rust and calcium rings in toilets, bathtubs, shower doors and knobs
- ◆ Organic acid based cleaner
- ◆ Contains no phosphoric, hydrochloric or hydrofluoric acid
- ◆ Considered non-corrosive for skin, as per WHMIS, but corrosive by Health Canada because of pH < 1
- ◆ Faint odor
- ◆ No VOC
- ◆ For interior and exterior institutional, commercial and residential applications
- ◆ Biodegradable. In conformity with OCDE 301 E rule
- ◆ Meets Calcium Carbonate (Hard Water Scale) Solubility Test

Packaging

Concentrate: 946 mL (32 fl oz) bottle [PR2000-01];
4 L (1.05 US gal) bottle [PR2000-04]

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition





PRO EFFLONET™ MARBLE

PRO EFFLONET MARBLE is a NON-ACIDIC cement grout residue remover designed to safely remove cement grout residues on marble and calcareous stones. Also removes residues from grouts mixed with additives (such as PRO GROUT PLUS™).

- ◆ Safe on ceramic, porcelain and natural stone
- ◆ Won't etch marble and calcareous stones
- ◆ Removes cementitious grout residues
- ◆ Removes cementitious grout mixed with grout additives residues
- ◆ Removes thin set mortar residues
- ◆ Alkaline formula
- ◆ Doesn't affect tile polish
- ◆ Viscous formula for vertical applications
- ◆ Slow evaporation for extended applications
- ◆ Removes thin set mortar residues
- ◆ Faint odor
- ◆ Safe for metals and glass
- ◆ Non corrosive
- ◆ No VOC
- ◆ Meets Chemical Remover for Organic Coating test ASTM D6189-97
- ◆ Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- ◆ For interior and exterior residential, commercial and institutional use

Packaging

Ready-to-Use Formula: 946 mL (32 fl oz) bottle [PD1500-01];
4 L (1.05 US gal) bottle [PD1500-04]

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition



PRO REMOVER™ II

PRO REMOVER II is designed to safely remove PRO GROUT XTREME™ epoxy grout residue from tile and stone surfaces.

- ◆ Use to remove PRO GROUT XTREME™ epoxy grout residue, as well as from other grout manufacturers
- ◆ Use on ceramic, porcelain and most natural stone and quartz surfaces
- ◆ Use on countertops, floors, backsplashes and walls
- ◆ Won't remove epoxy grout lines
- ◆ Safe on concrete
- ◆ Viscous formula for a long lasting action and vertical application
- ◆ Slow evaporation for a long term action
- ◆ Low odor
- ◆ Safe on metals
- ◆ No VOC
- ◆ For interior and exterior institutional, commercial and residential applications
- ◆ Biodegradable. In conformity with OCDE 301 E rule
- ◆ Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- ◆ Meets Chemical Remover for Organic Coating test ASTM D6189-97

Packaging

Ready-to-Use Formula: 946 mL (32 oz) bottle [PD1900-01];
4 L (1.05 US gal) bottle [PD1900-04]

Approximate Coverage: Varies with the surface condition



PRO GROUT EASE™

PRO GROUT EASE is a fast-drying, water-soluble protector for tile and stone designed to prevent grout residues of all types from sticking to the surface of tiles and stones in order to aid residue cleanup after grout application.

- ◆ Use with all types of grout
- ◆ Use on ceramic, porcelain and natural stone tiles
- ◆ Use on Luxurious Vinyl Tiles (LVT)
- ◆ Use on acrylic baths and showers
- ◆ Fast drying
- ◆ Water soluble
- ◆ Faint odor
- ◆ No VOC
- ◆ Biodegradable – in conformity with OCDE 301 E rule
- ◆ For interior and exterior institutional, commercial and residential applications

Packaging / Approximate Coverage

Ready-to-Use Formula:
946 mL (32 oz) bottle [PR90-01] 15 m² (150 ft²)

Ready-to-Use Formula:
4 L (1.05 US gal) bottle [PR90-04] 60 m² (600 ft²)





CLEANERS

SURFACE TYPE	PRO CLEAN™	PRO CARPET CLEANER™	PRO HARDWOOD CLEANER™	PRO LVT CLEANER™	PRO NET II™	PRO SHOWER™	PRO STAIN CLEANER™	PRO STONE & QUARTZ CLEANER™	PRO DECAP™ *
Carpet – Rugs	—	★	—	—	—	—	—	—	—
Ceramic	○	—	—	—	★	○	—	★	★*
Cobblestone	○	—	—	—	—	—	★	★	★*
Concrete	—	—	—	—	★	—	★	—	★*
Glass Tiles	○	—	—	—	—	○	—	○	★*
Granite	○	—	—	—	★	○	★	○	★*
Grout – Cement (with or without Additive)	—	—	—	—	★	○	—	—	★*
Grout – Epoxy	—	—	—	—	★	○	—	—	★*
Grout – Pre-Mixed (Acrylic or Urethane)	—	—	—	—	★	○	—	—	★*
Hardwood and Engineered Wood	○	—	★	—	—	—	—	—	★*
Hardwood UV-Oiled	○	—	★	—	—	—	—	—	—
Laminate	○	—	★	—	—	—	—	—	★*
Limestone	○	—	—	—	—	—	★	★	★*
Marble	○	—	—	—	—	—	★	★	★*
Mexican Tiles	○	—	—	—	—	—	—	—	★*
Mosaic	○	—	—	—	—	○	—	★	★*
Onyx	○	—	—	—	—	—	★	★	★*
Porcelain	○	—	—	—	★	○	—	★	★*
Quartz (Composite)	○	—	—	—	★	—	★	★	★*
Quartzite	○	—	—	—	—	—	★	★	★*
Rubber – Tiles	○	—	—	★	—	—	—	—	★*
Slate – Dense (ex: Montauk or Vermont)	○	—	—	—	★	—	★	★	★*
Slate – Porous (ex: Chinese or Indian)	○	—	—	—	★	—	★	★	★*
Terra Cotta	○	—	—	—	—	—	—	—	★*
Terrazzo	○	—	—	—	—	—	★	—	★*
Travertine	○	—	—	—	—	—	★	★	★*
Vinyl – Composite Tile – VCT	○	—	—	★	—	—	—	—	★*
Vinyl – Plank – LVT	○	—	—	★	—	—	—	—	★*
Vinyl – Sheet (no wax)	○	—	—	★	—	—	—	—	★*

★ BEST ○ Good

Visit www.proma.ca for more information on PROMA products, including detailed use and application instructions, technical data and safety information. If you have any further questions, call toll-free: **1.866.51.PROMA (77662)**.

* PRO DECAP is used for heavy-duty cleaning, so it may damage sealers and finishes. Apply to a small test area prior to use.



REMOVERS

SURFACE TYPE	PRO DECAP™	PRO DECAP-J™	PRO EFFLONET™	PRO EFFLONET MARBLE™	PRO REMOVER I™	PRO GROUT EASE™ *
Efflorescence (grout joints)	—	—	★	○	—	—
Efflorescence (marble and calcareous stones)	—	—	—	★	—	—
Glue – Urethane Construction Glue (residues)	—	★	—	—	—	—
Glue – Wood	—	★	—	—	—	—
Grout - Cement (joints)	—	—	★	★	—	○*
Grout – Cement (residues)	—	—	★	★	—	○*
Grout – Cement mixed with Additive (residues)	—	—	★	★	—	○*
Grout – Epoxy (residues)	—	—	—	—	★	○*
Grout – Pre-Mixed, Acrylic or Urethane (residues)	—	★	—	—	—	○*
Ink – Pens or Markers	★	★	—	—	—	—
Paint – Alkyd and Solvent Based	—	—	—	—	★	—
Paint – Epoxy Based	—	—	—	—	★	—
Paint – Latex and Water Based	○	★	—	—	★	—
Rust (superficial)	—	—	★	—	—	—
Sealer – Water Based (Acrylic or Urethane)	★	—	—	—	—	—
Thin-Set Mortar	—	—	★	★	—	—
Wax	★	—	—	—	—	—

* PRO GROUT EASE is a protector for tile and stone designed to prevent grout residues of all types from sticking to the surface of tiles and stones in order to aid residue cleanup after grout application.

★ BEST ○ Good



PRO HS-SEALER PLUS™ GLOSS FINISH

PRO HS-SEALER PLUS (GLOSS FINISH) is a high-performance water-based urethane sealer formulated to protect, enhance colors and leave a glossy finish on honed and textured-surfaced natural stone.



- ◆ Urethane formulation provides better performance than water-based acrylic sealers
- ◆ Use on textured or brushed-finished granite
- ◆ Use on slates
- ◆ Use on tumbled or honed-finished marble
- ◆ Use to seal sanded and unsanded cementitious grout joints
- ◆ Enhances stone colors
- ◆ Excellent protection against household dirt and stains
- ◆ Excellent water repellency
- ◆ Excellent oil and grease resistance
- ◆ Good leveling
- ◆ Dries quickly
- ◆ Faint odor
- ◆ Use on floors, wall, backsplashes and residential showers
- ◆ For interior institutional, commercial and residential applications
- ◆ No carcinogenic agents
- ◆ NPEO free – NMP free
- ◆ Biodegradable – in conformity with OCDE 301 E rule
- ◆ Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- ◆ Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces

Packaging / Approximate Coverage (2 coats)*

946 mL (32 oz) bottle [SU2245-01]	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [SU2245-04]	40 m ² (430 ft ²)

Proper protection is key to keeping your installation beautiful for years to come.

PROMA offers a wide variety of quality sealers that protects the surface of your installation, while enhancing the look and providing long-lasting beauty and performance.

No matter what the installation condition, tile or stone type, or productivity demands, PROMA has the right solution to fit your needs.





PRO HS-SEALER PLUS™ SATIN FINISH

PRO HS-SEALER PLUS (SATIN FINISH) is a high-performance water-based urethane sealer formulated to protect, enhance colors and leave a satin finish on honed and textured-surfaced natural stone.



- ◆ Urethane formulation provides better performance than water-based acrylic sealers
- ◆ Use on textured or brushed-finished granite
- ◆ Use on slates
- ◆ Use on tumbled or honed-finished marble
- ◆ Use to seal sanded and unsanded cementitious grout joints
- ◆ Enhances stone colors
- ◆ Excellent protection against household dirt and stains
- ◆ Excellent water repellency
- ◆ Excellent oil and grease resistance
- ◆ Good leveling
- ◆ Dries quickly
- ◆ Faint odor
- ◆ Use on floors, wall, backsplashes and residential showers
- ◆ For interior institutional, commercial and residential applications
- ◆ No carcinogenic agents
- ◆ NPEO free – NMP free
- ◆ Biodegradable – in conformity with OCDE 301 E rule
- ◆ Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- ◆ Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces

Packaging / Approximate Coverage (2 coats)*

946 mL (32 oz) bottle [SU2295-01]	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [SU2295-04]	40 m ² (430 ft ²)



PRO HS-SEALER™ GLOSS FINISH

PRO HS-SEALER (GLOSS FINISH) is a high-performance water-based acrylic sealer formulated to protect, enhance colors and leave a glossy finish on honed and textured-surfaced natural stones.



- ◆ Water-based topical sealer formulated to protect honed, textured or brushed-finished surfaces
- ◆ Use on granite and slate
- ◆ Use on marble, cobblestone, travertine
- ◆ Use to seal sanded and un-sanded cementitious grout joints
- ◆ Use on floors, wall and backsplashes
- ◆ Enhances stone colors
- ◆ Good protection against household dirt and stains
- ◆ Good water repellency
- ◆ Good oil and grease resistance
- ◆ Good leveling
- ◆ Dries quickly
- ◆ Faint odor
- ◆ For interior institutional, commercial and residential applications
- ◆ Biodegradable – in conformity with OCDE 301 E rule
- ◆ Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- ◆ Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces

Packaging / Approximate Coverage (2 coats)*

946 mL (32 oz) bottle [PS245-01]	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [PS245-04]	40 m ² (430 ft ²)





PRO HS-SEALER™ SATIN FINISH

PRO HS-SEALER (SATIN FINISH) is a high-performance water-based acrylic sealer formulated to protect, enhance colors and leave a satin finish on honed and textured-surfaced natural stones.



- ♦ Water-based topical sealer formulated to protect honed, textured or brushed-finished surfaces
- ♦ Use on granite and slate
- ♦ Use on marble, cobblestone, travertine
- ♦ Use to seal sanded and un-sanded cementitious grout joints
- ♦ Use on floors, wall and backsplashes
- ♦ Enhances stone colors
- ♦ Good protection against household dirt and stains
- ♦ Good water repellency
- ♦ Good oil and grease resistance
- ♦ Good leveling
- ♦ Dries quickly
- ♦ Faint odor
- ♦ For interior institutional, commercial and residential applications
- ♦ Biodegradable – in conformity with OCDE 301 E rule
- ♦ Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- ♦ Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces

Packaging / Approximate Coverage (2 coats)*

946 mL (32 oz) bottle [PS295-01]	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [PS295-01]	40 m ² (430 ft ²)



PRO SEAL II™

PRO SEAL II is a water-based acrylic sealer for cement grout that cures to form a highly-resistant barrier to staining from most domestic contaminants, such as grease, acids, coffee, wine, soft drinks, cooking oils, etc. and wear. PRO SEAL II slightly enhances color and gloss, resistance to freeze-thaw exposure and dramatically eases the cleaning process.



- ♦ Water-based topical sealer formulated to seal sanded and unsanded cementitious grout joints
- ♦ Use on countertops and floors
- ♦ Low color enhancement
- ♦ Low sheen
- ♦ Good protection against household dirt and stains
- ♦ Good water repellency
- ♦ Good oil and grease resistance
- ♦ No food transmission
- ♦ Dries quickly
- ♦ Faint odor
- ♦ No ammonia
- ♦ For interior institutional, commercial and residential applications
- ♦ Biodegradable – in conformity with OCDE 301 E rule
- ♦ Meets Environmental standards for acrylic floor sealers and finishes
- ♦ Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- ♦ Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces

Packaging / Approximate Coverage (6 mm [1/4"] joint, 30 x 30 cm [12" x 12"] tiles *

500 ml (16.9 oz) bottle [S100-05]	30 m ² (325 ft ²)
4 L (1.05 US gal) bottle [S100-04]	240 m ² (2,500 ft ²)





PRO AQUASEAL PLUS™ NATURAL FINISH

PRO AQUASEAL PLUS is a high-performance water-based penetrating sealer formulated to protect natural stones and ceramic tiles leaving a natural look with no sheen and apparent coating.



- ♦ Natural look – no glossy finish or color enhancement
- ♦ Use to protect ceramic tile and natural stone
- ♦ Full strength protection is achieved after only a 3 day curing time
- ♦ Use on all types of stone finishes
- ♦ Use to seal sanded and un-sanded cementitious grout joints
- ♦ No superficial film when dry
- ♦ No food transmission
- ♦ Excellent protection against household dirt and stains
- ♦ Excellent water repellency
- ♦ Excellent oil and grease resistance
- ♦ Faint odor
- ♦ For floors, walls, counter tops, showers and backsplashes
- ♦ For interior and exterior institutional, commercial and residential applications

Packaging / Approximate Coverage (2 coats)*

500 mL (16.9 oz) bottle [PS400-05].....	5.2 m ² (56 ft ²)
946 mL (32 oz) bottle [PS400-01].....	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [PS400-04].....	40 m ² (430 ft ²)

PRO AQUASEAL™ NATURAL FINISH

PRO AQUASEAL is a water-based penetrating sealer formulated to protect natural stones, ceramic, porcelain and glass tiles as well as grout; leaving a natural look with no sheen and no apparent coating.



- ♦ Natural look – no sheen or color enhancement
- ♦ Use to protect ceramic tile and natural stone
- ♦ Full strength protection is achieved after only a 3 day curing time
- ♦ Use on all types of stone finishes
- ♦ Use to seal sanded and un-sanded cementitious grout joints
- ♦ No superficial film when dry
- ♦ No food transmission
- ♦ Excellent protection against household dirt and stains
- ♦ Faint odor
- ♦ For floors, walls, counter tops, showers and backsplashes
- ♦ For interior and exterior institutional, commercial and residential applications

Packaging / Approximate Coverage (2 coats)*

946 mL (32 oz) bottle [PS670-01].....	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [PS670-04].....	40 m ² (430 ft ²)

PRO MPG SEALER PLUS™ NATURAL/ COLOR ENHANCER

PRO MPG SEALER PLUS is a high-performance water-based penetrating sealer formulated to protect natural stones and quartz leaving no apparent film with color enhancement and no sheen.



- ♦ Natural look – no sheen
- ♦ No superficial film when dry
- ♦ Color enhancement
- ♦ Use to protect natural stones – all finishes
- ♦ Use to protect quartz – honed, mat and leather finish
- ♦ Full strength protection is achieved after only a 3 day curing time
- ♦ Use to seal sanded and un-sanded cementitious grout joints
- ♦ No food transmission
- ♦ Excellent protection against household dirt and stains
- ♦ Excellent water repellency
- ♦ Excellent oil and grease resistance
- ♦ Faint odor
- ♦ For floors, walls, counter tops, showers and backsplashes
- ♦ For interior and exterior institutional, commercial and residential applications

Packaging / Approximate Coverage (2 coats)*

946 mL (32 oz) bottle [PS480-01].....	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [PS480-04].....	40 m ² (430 ft ²)

PRO NANO SEAL™ WET LOOK/ COLOR ENHANCER

PRO NANO SEAL is an organic solvent-based impregnating sealer designed to give a wet look and protect natural stones.



- ♦ Strong color enhancement
- ♦ Wet look – no sheen
- ♦ No superficial film when dry
- ♦ 0 VOC solvent
- ♦ Full strength protection is achieved only after 3-5 day curing time
- ♦ Use on all types of finishes, but is best on polished and honed surfaces
- ♦ Use to seal sanded and un-sanded cementitious grout joints
- ♦ Use for floors, walls and backsplashes
- ♦ Good protection against household dirt and stains
- ♦ Good water repellency
- ♦ Good oil and grease resistance
- ♦ Faint odor
- ♦ For interior and exterior institutional, commercial and residential applications

Packaging / Approximate Coverage (2 coats)*

500 mL (16.9 oz) bottle [PS570-05].....	5.2 m ² (56 ft ²)
946 mL (32 oz) bottle [PS570-01].....	10 m ² (108 ft ²)
4 L (1.05 US gal) bottle [PS570-04].....	40 m ² (430 ft ²)



SEALERS

SURFACE TYPE	PRO HS-SEALER PLUS™ * GLOSS FINISH	PRO HS-SEALER PLUS™ * SATIN FINISH	PRO HS-SEALER™ * GLOSS FINISH	PRO HS-SEALER™ * SATIN FINISH	PRO SEAL II™	PRO AQUEASEAL PLUS™ NATURAL FINISH	PRO AQUEASEAL™ NATURAL FINISH	PRO MPG SEALER PLUS™ NATURAL / COLORENHANCER	PRO NANO SEAL™ WET LOOK / COLORENHANCER
Basalt Stone	—	—	—	—	—	★	○	★	○
Brick – Decorative	—	—	—	—	—	★	○	★	○
Ceramic	—	—	—	—	—	★	○	—	—
Concrete	—	—	—	—	—	★	○	★	○
Cobblestone - Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Cobblestone – Polished	—	—	—	—	—	★	○	★	○
Glass Tiles	—	—	—	—	—	★	○	—	—
Granite - Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Granite - Polished	—	—	—	—	—	★	○	★	○
Grout	—	—	—	—	★*	○	○	★	○
Limestone – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Limestone – Polished	—	—	—	—	—	★	○	★	○
Marble – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Marble – Polished	—	—	—	—	—	★	○	★	○
Mexican Tiles	—	—	—	—	—	★	○	★	○
Mosaics	—	—	—	—	—	★	○	★	○
Onyx – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Onyx – Polished	—	—	—	—	—	★	○	★	○
Porcelain	—	—	—	—	—	★	○	—	—
Quartz (Composite)	—	—	—	—	—	★	○	★	○
Quartzite	★*	★*	○*	○*	—	○	○	○	○
Sandstone	★*	★*	○*	○*	—	○	○	○	○
Slate – Dense (ex: Montauk or Vermont)	★*	★*	—	—	—	○	○	○	○
Slate – Porous (ex: Chinese or Indian)	★*	★*	○*	○*	—	○	○	○	○
Terra Cotta	—	—	—	—	—	★	○	★	○
Terrazzo Floors	—	—	—	—	—	★	○	—	—
Travertine – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Travertine – Polished	—	—	—	—	—	★	○	★	○

Visit www.proma.ca for more information on PROMA products, including detailed use and application instructions, technical data and safety information. If you have any further questions, call toll-free: **1.866.51.PROMA (77662)**.

★ **BEST** ○ **Good**

* **INTERIOR** use only.



PROMA is proud to provide its customers with the very best flooring installation and surface preparation products the industry has to offer. PROMA's quality raw materials are meticulously chosen for their high-performance characteristics and are then formulated and manufactured to produce products that will provide many years of trouble-free performance.



SURFACE PREPARATION

PROMA provides the right solution to correct nearly any surface condition prior to the installation of flooring.



SETTING MATERIALS

No matter what the installation condition, tile or stone type, or productivity demands, PROMA has the right solution to fit your tile and stone installation needs.



GROUT PRODUCTS

PROMA features a full line of grouts, caulks and grout colorants formulated in the most fashionable colors available.



FINISHING AND CARE

PROMA offers a wide variety of quality cleaners and sealers that provide outstanding results and long-lasting performance.



FLOOR COVERING ADHESIVES

PROMA offers high-performing adhesives for a variety of floor coverings and accessories, including carpet, wood, cork, rubber, vinyl and more.

Visit www.proma.ca for more information on PROMA products, including detailed use and application instructions, technical data and safety information. If you have any further questions, call toll-free: **1.866.51.PROMA (77662)**.



PROMA Adhesives Inc.

9801, Parkway, Anjou, Quebec Canada H1J 1P3

Tel.: 514.852.8585 | Fax: 514.852.8225

Toll-free: 1 866.51.PROMA (77662) | Email: info@proma.ca

www.proma.ca